

**Amendments to the Claims:**

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1.-23. (Canceled)

24. (Previously Presented) A control method of controlling an image forming device, comprising the steps of:

- a) receiving image information from an external device;
- b) storing the image information in a memory;
- c) receiving an instruction to print the image information from a cellular phone; and
- d) executing printing of the image information in accordance with the instruction.

25.-26. (Canceled)

27. (Previously Presented) The control method according to claim 24, further comprising a step of:

- e) outputting a signal indicating that the image information is stored in the memory, wherein the instruction is received from the cellular phone after the signal is outputted.

28. (Previously Presented) The control method according to claim 24, wherein the instruction from the cellular phone is an e-mail message transmitted in an e-mail format.

29. (Previously Presented) The control method according to claim 24, wherein the instruction from the cellular phone is transmitted via a Web service.

30. (Currently Amended) The control method according to claim 29, wherein the image forming device has a URL, and the instruction is transmitted to the image forming ~~apparatus~~ device when the cellular phone accesses the URL.

31. (Currently Amended) The control method according to ~~claim 24~~ claim 27, wherein the ~~instruction from the cellular phone~~ signal is transmitted via an audio guidance.

32. (Previously Presented) The control method according to claim 31, wherein the instruction from the cellular phone is transmitted in response to the audio guidance.

33. (Currently Amended) The control method according to claim 27, further comprising the steps of:

f) detecting an e-mail address from the image information stored in the memory; and

g) sending an e-mail message to ~~the designation of the~~ detected e-mail address, the e-mail message urging a user of the cellular phone to transmit the instruction to the image forming device.

34. (Currently Amended) The control method according to claim 27, further comprising a step of:

h) judging whether ~~or not the print data~~ the image information is confidential, wherein if the image information is confidential, executing the printing is executed in accordance with printing when the instruction ~~with includes~~ a predetermined code ~~transmitted from the cellular phone~~.

35. (Currently Amended) The control method according to claim 27, wherein the ~~informing step sends signal~~ is output via an e-mail message to the designation capable of being received by the cellular phone, and, in response to the signal, the instruction is sent to the image forming device ~~in response to the e-mail message~~ in an e-mail format.

36. (Currently Amended) The control method according to claim 27, wherein the ~~informing step sends signal~~ identifies a URL to the designation associated with the image forming device, and the instruction is sent to the image forming device from the cellular phone by accessing the URL.

37. (Currently Amended) The control method according to claim 36, wherein the URL includes a link to a page to instruct the execution of the printing, and the instruction is sent to the image forming device from the cellular phone by accessing the link.

38. (Previously Presented) A printing system comprising:  
an image forming device including:  
a receiving unit that receives an image information from an external device;  
a memory in which the image information is stored;  
a printing unit that executes printing of the image information; and  
a controller that controls the printing unit to execute the printing; and  
a cellular phone including:  
a communication unit that transmits an instruction to the image forming device, wherein the controller controls the printing unit to execute the printing when the instruction is transmitted from the cellular phone.

39. (Previously Presented) The printing system according to claim 38, wherein a signal is output when the image information is stored in the memory and the instruction is received from the cellular phone after the signal is output.

40. (Previously Presented) The printing system according to claim 38, wherein the instruction from the cellular phone is an e-mail message transmitted in an e-mail format.

41. (Previously Presented) The printing system according to claim 38, wherein the instruction from the cellular phone is transmitted via a Web service.

42. (Currently Amended) The printing system according to claim 41, wherein the image forming device has a URL associated therewith, and the instruction is transmitted to the image forming ~~apparatus~~ device when the cellular phone accesses the URL.

43. (Currently Amended) The printing system according to ~~claim 38~~ claim 39, wherein the ~~instruction from the cellular phone signal~~ is transmitted via an audio guidance.

44. (Previously Presented) The printing system according to claim 43, wherein the instruction from the cellular phone is transmitted in response to the audio guidance.

45. (Currently Amended) The printing system according to claim 39, ~~wherein:~~  
~~\_\_\_\_\_ further comprising an e-mail address detector for detecting an e-mail address is~~  
~~detected from the image information stored in the memory;~~ ~~and~~  
~~\_\_\_\_\_ wherein an e-mail message is sent to the detected e-mail address, the e-mail~~  
~~message urging a user of the cellular phone to transmit the instruction to the image forming~~  
~~device.~~

46. (Currently Amended) The printing system according to claim 39, wherein ~~it is~~  
~~determined the image forming device determines whether or not the print data the image~~  
~~information~~ is confidential and the printing is executed ~~in accordance with when the~~  
~~instruction with including a predetermined code is~~ transmitted from the cellular phone.

47. (Currently Amended) The printing system according to claim 39, wherein ~~to~~  
~~output the signal;~~ is output via an e-mail message is sent to the a detected e-mail address  
such that the e-mail message can be received via the cellular phone, and, in response to the e-  
mail message, the instruction is sent to the image forming device ~~in response to the e-mail~~  
~~message in an e-mail format.~~

48. (Currently Amended) The printing system according to claim 39, wherein ~~to~~  
~~output the signal;~~ identifies a URL and the signal is sent to ~~the a~~ detected e-mail address, and  
the instruction is sent to the image forming device from the cellular phone by accessing the  
URL.

49. (Currently Amended) The printing system according to claim 48, wherein the URL includes a link to a page to instruct execution of the printing, and the instruction is sent to the image forming device from the cellular phone by accessing the link.